

## Subject Index

- adenine nucleotide translocase, 3, 81,  
170–177, 182, 187–190, 206  
adenosine, 196  
ADP, 75, 81, 192  
 $\beta$ -adrenergic activation, 143–144  
aging, 141–147  
albumin, 82  
Alzheimer's disease, 44–46  
amyloid precursor protein, 44  
amyotrophic lateral sclerosis, 46–48  
anion channel, 172–177  
anti-oxidant, 194  
APAF-1, 71  
Apo  $\epsilon$ 4, 44  
apoptosis, 2–3, 5, 6, 8–10, 27–31, 35, 70,  
196–197, 215, 217–218  
asphyxia, 124  
aspirin, 210  
astrocyte, 19, 75  
ATP, 10, 56, 62, 71, 117, 132, 153, 192  
ATPase inhibitor protein, 196  
ATP synthesis, 100, 130, 157  
  
BAPTA, 213  
Bax, 6–8  
Bcl-2, 6–8, 27–31, 33–41, 71, 196  
benzodiazepine receptor, 189  
birth asphyxia, 124  
bovine serum albumin, 82  
brain  
Huntington's disease, 106–107  
mitochondrion, 75–84  
neonatal, 123–140  
butacaine, 77  
t-butylhydroperoxide, 212  
  
 $\text{Ca}^{2+}$   
antagonist, 194  
in apoptosis, 5, 6, 8, 27–31  
delayed de-regulation, 56, 59–60  
intracellular, 114, 159–160  
ionophore inhibitor, 77  
mitochondrial, 33–41, 57, 142–145,  
168–171, 213–215  
in mitochondrial permeability  
transition, 76–83, 174–177, 182  
trigger site, 188  
uptake, 94–95  
*Caenorhabditis elegans*, 70  
caspase, 5, 6, 39, 70, 72, 196  
catalase, 22  
*ced-3*, 70  
cell death (*see also* apoptosis and  
necrosis), 123–140  
ceramide, 27–31  
cerebellar granule cell, 56  
chaotropic agent, 186  
citrulline, 133  
complex I, 21, 88–94  
complex II/III, 104–106  
complex-I inhibitor, 101  
confocal microscopy, 208–210  
creatine, 50  
cyclophilin, 171–172, 174–176, 183, 186  
cyclosporin A, 75, 81, 170, 174, 183, 192,  
206–208, 210  
cytochrome *aa*<sub>3</sub>, 155, 156  
cytochrome *c*, 9, 23–24, 27–31, 36, 71,  
127, 196, 215  
cytochrome oxidase, 18, 127  
  
delayed  $\text{Ca}^{2+}$  de-regulation, 56, 59–60  
delayed energy failure, 132, 133  
depolarization, 61, 81  
digitonin, 36, 77  
L-dopa, 101  
dopamine, 100  
  
electron paramagnetic resonance,  
127–128, 162  
electron-transport chain, 34  
endotoxin, 155  
energy metabolism, 106–107  
excitotoxicity, 34, 92–94, 213  
  
familial Parkinsonism, 103  
FK506, 192  
free radical, 92, 100, 128, 190  
free-radical scavenger, 194, 212  
Friedreich's ataxia, 46, 107–108  
fructose, 216  
fura-2, 59, 77, 115

- fusion protein, 188
- glutamate, 19, 81, 120, 126
- glycolysis, 60, 130
- haemoglobin, 126, 127
- heart  
  ischaemia, 141–147  
  mitochondrion, 145–146  
  reperfusion, 190–196
- hippocampus, 196
- huntingtin, 48, 104
- Huntington's disease, 48–50, 104–107
- hydroethidine, 65
- hypoxia/ischaemia, 129–135
- inflammatory response syndrome, 150, 152
- inhibitor  
  Ca<sup>2+</sup> uniporter (*see also* Ruthenium Red), 77  
  Ca<sup>2+</sup> ionophore, 77  
  complex-I, 101  
  mitochondrial permeability transition, 189  
  Na<sup>+</sup>/Ca<sup>2+</sup> antiporter, 77, 81  
  nitric oxide synthase, 101, 135  
  phospholipase A<sub>2</sub>, 77  
  inorganic phosphate, 125
- intergenomic signalling defect, 112
- intracellular Ca<sup>2+</sup>, 114, 159–160
- iron chelator, 212
- ischaemia, 23, 76, 129–135, 141–147, 182
- ischaemia/reperfusion, 34, 168–170, 207, 211–212
- isoquinoline, 101
- JC-1, 77, 119
- K<sub>ATP</sub> channel, 196
- Kearns–Sayre syndrome, 112
- α-ketoglutarate dehydrogenase, 101
- lactate, 60, 125, 126
- Leber hereditary optic neuropathy, 113
- Leigh's syndrome, 113, 114
- lipid hydroperoxide, 212
- macrophage, 20
- magnetic resonance imaging, 128–129
- magnetic resonance spectroscopy, 125–126
- MELAS syndrome, 112, 114–121
- membrane permeability transition (*see* mitochondrial permeability transition)
- MERRF syndrome, 113
- N-methyl-D-aspartate, 56, 76, 94–95, 104
- N-methyl-D-aspartate receptor, 38, 60–64, 135
- Mg<sup>2+</sup>, 82, 135, 189
- microcirculation, 152
- mitochondrial  
  Ca<sup>2+</sup>, 33–41, 57, 142–145, 168–171, 213–215  
  damage, 134  
  depolarization, 61, 81  
  DNA, 99–110, 112–114, 145  
  dye, 77, 119  
  dysfunction, 85–97, 149–160  
  membrane phospholipid, 143  
  morphology, 78  
  reactive oxygen species, 213–215  
  swelling, 79, 184, 196  
  transmembrane potential, 27–31, 35, 36, 56, 76, 119, 184, 187  
  mitochondrial permeability transition, 2–3, 34, 56, 71, 76–83, 136, 142, 167–179, 181–203, 205–222
- mitochondrion  
  in brain 75–84  
  in heart 145–146
- MK-801, 59
- monoamine oxidase B, 100
- monocarboxylate transporter, 190
- MPTP, 86–88, 100
- multiorgan failure, 150
- Na<sup>+</sup>/Ca<sup>2+</sup> antiporter, 77, 81, 190
- near-infrared spectroscopy, 126–127
- necrosis, 8–10, 168, 169, 197, 217–218
- neonatal brain, 123–140
- neurodegeneration, 99–110
- neuronal death, 100
- neuroprotection, 79
- neurotoxicity, 79, 120
- nitric oxide, 17, 21–22, 43–54, 128, 151, 160–162
- nitric oxide synthase inhibitor, 101, 135
- 3-nitropropionic acid, 50
- oligomycin, 57, 59, 60, 62, 81, 216
- oxidative phosphorylation, 34, 60, 113
- oxidative stress, 27–31, 169, 186, 187, 207, 212–213
- oxygenation of tissue, 152, 153
- oxygen consumption, 19, 153
- Parkinson's disease, 43, 85–97, 100–103, 131
- Pearson's syndrome, 112
- peptidylpropyl *cis-trans* isomerase, 183, 186

- permeability transition, 2–3, 34, 56, 71, 76–83, 136, 142, 167–179, 181–203, 205–222
- peroxynitrite, 17, 92, 135, 154
- pH, 189, 190
- phenylarsine oxide, 186, 187
- phosphocreatine, 125
- phospholipase A<sub>2</sub>, 182
- phospholipase A<sub>2</sub> inhibitor, 77
- P<sub>i</sub>, 125
- plasma membrane potential, 61
- poly(ADPribose) polymerase, 72
- polyunsaturated fatty acid, 142, 143, 145, 146
- pore opening, 6–10, 192–193
- presenilin, 44
- propofol, 195
- protein kinase C, 196
- protonophore, 57, 82
- pyridine nucleotide, 212
- pyruvate, 60, 130, 194–195
- pyruvate dehydrogenase, 114, 143, 144
- reactive oxygen species, 92, 158, 168, 170, 212–215
- receptor
- benzodiazepine, 189
  - N*-methyl-D-aspartate, 38, 60–64, 135
- reperfusion, 34, 144–145, 168–170, 182, 190–196, 207, 211–212
- respiratory-chain defect, 105–106, 153
- Reye's syndrome, 210–211
- rhodamine, 77, 211
- RNA, 111
- rotenone, 59, 60, 90
- Ruthenium Red, 75, 77, 81
- salicylate, 210
- sepsis, 149–166
- septic shock, 150
- spectroscopy
- magnetic resonance, 125–126
  - near-infrared, 126–127
- sphingosine, 82
- succinate, 81
- superoxide, 92, 135
- superoxide dismutase, 22, 47, 48
- synaptosome, 19
- α-synuclein gene, 103
- tetramethylrhodamine methyl ester, 61, 62, 208, 215
- tetraphenylphosphonium, 81
- tissue oxygen, 152, 153
- transient permeability transition, 193
- tricarboxylate acid cycle, 144
- trifluoperazine, 189
- tumour necrosis factor-α, 29
- tyrosine hydroxylase, 89, 90, 91, 100
- voltage-dependent anion channel, 172–177
- xanthine oxidase, 190