

Subject index

- activation domain of human
 procarboxypeptidase A2 (ADA2h) 15,
 21, 22
- allostery 70
- Alzheimer's disease 6, 8–10, 19
- amyloid 39–42
- amyloid
 disease (*see* amyloidosis)
 fibril 6, 9, 11–21
 formation of 19–21
 structure 14–19
- amyloidosis 6, 9, 10, 12, 14, 15, 17
- Anfinsen cage 59, 60
- Arabidopsis thaliana* 131, 132
- bacteriorhodopsin 28–31
 folding kinetics 29, 30
 lipid folding system 31, 32
- α/β -barrel fold 151
- Caenorhabditis elegans* 127, 130, 131
- chaperonin 45, 47, 48, 50, 56–63
 structure and function 57–60
- chymotrypsin inhibitor 2 84–92
- circular dichroism
 far UV 3, 29, 31, 98
 stopped flow 106–108
- coiled-coil structure 111–118
- colicin Ia 118, 119
- conformational entropy 102, 103
- Cpn60 56, 50
- Creutzfeld–Jakob disease 8, 9
- α -cylindner 118–121
- cystatin 130, 131
- directed evolution 133–138, 140
- DnaJ 48, 50, 52–55
- DnaK 48, 49, 52–55, 61, 62, 69–81
 empty conformation 76, 79
 interdomain communication 71
 pH-dependent conformational change
 73, 74
 substrate-binding domain 70–80
 substrate release from 70
- DNA shuffling 136–130
- free-energy perturbation calculation
 88–90
- GCN4 transcriptional activator 112
- GimC (*see* Prefoldin)
- Globodera pallida* 126, 129, 130
- Globodera rostochiensis* 126
- Globodera* spp. 125, 129
- gp41 HIV protein 117
- GroEL 50, 56–61
- GroES 50, 56–60
- GrpE 48, 51–55, 70, 122
- heat-shock protein
 of 10 kDa 56
 of 40 kDa 50, 53, 55
 of 60 kDa 56, 50, 63
 of 70 kDa 45, 47–49, 52–56, 61–63, 69,
 70, 80
 of 90 kDa 49, 56, 61, 62
 of 104 kDa 38, 42, 49
- α -helix 7, 95–97
 C-cap amino-acid residue 103, 104
 folding kinetics 105–108
 length 103, 104
 N1/N2/N3 position 95, 96, 100, 101
 N-cap amino acid residue 98, 100
 side-chain interaction 101, 102
- helix/coil theory 97, 98
- helix dipole 100
- heptad repeat 113–121
- Heterodera schachtii* 125, 131, 132
- Hsc70 55, 70
- Hsc70/Hsp90-organizing protein 56
- Hsc70-interacting protein 55
- Hsp (*see* heat-shock protein)
- hydrogen bond 102–104
- hydrophobic deletion mutant 88–90
- hydrophobic interaction 101, 103
- iterative annealing 59
- knobs-into-holes theory 112, 113,
 115–121
- leucine zipper 111, 112, 115

- lipid chain lateral pressure 31
- lysozyme 6–14, 15
 - amyloid fibrils of 9, 13
 - structure of 12
- Meloidogyne incognita* 130, 132
- Meloidogyne javanica* 130, 131
- Meloidogyne* spp. 125–127, 129,
- membrane protein folding 27–33
- molecular chaperone 2, 6, 17, 20,
 - 45–68, 70
- molecular dynamics simulation 3, 84,
 - 86–88, 92
- natural resistance gene 126
- N-cap amino acid residue 98, 100
- nematode 125–132
 - life cycle 127–129
 - protease 130
- network model of protein folding 62
- nitrate ester reductase 144
- nitroreductase 146
- NMR 5, 7, 23, 69, 71–73
- nucleated conformation conversion
 - 40–42
- Old Yellow Enzyme 149–152
- orzacystatin I 131, 132
- pathway model (of protein folding) 62
- pentaerythritol trinitrate 144, 147
- PETN (*see* pentaerythritol trinitrate)
- PETN reductase 144, 145, 147, 149–152
- phage display 135
- phosphatidylcholine 31, 32
- phosphatidylethanolamine 31, 32
- phytoicystatin 130–140
 - directed evolution of 134–138
- Prefoldin 50, 57, 63
- prion 36–38
- protease inhibitor 130–133
- Protein Data Bank 78, 96, 116, 118
- protein design 121, 122
- [PSI⁺] 35–42
- ridges-into-grooves helix packing 113
- rotamer 100, 102, 103
- β -sheet 7, 9, 15, 16, 19, 118–121
- SOCKET 115, 116, 119, 120
- SUP35* gene 36, 38
- Sup35 protein 35–42
 - NM region 38–41
- synchrotron radiation 106
- Thermosome 50, 56, 57
- TNT (*see* trinitrotoluene)
- TolC 118, 120, 121
- transition state state of protein folding
 - 84–91
- transthyretin 6, 8, 13, 19, 21
- TRiC 50, 56, 57, 61, 63
- trigger factor 61, 62,
- trinitrotoluene 143, 146–149
 - metabolism by nitrate ester reductase
 - 147–149
- two-state folding protein 84
- Φ -value analysis 84–89, 91, 92
- variant surface glycoprotein 119